
Pytest Slack Documentation

Release 1.0.2

Arseniy Antonov

Apr 18, 2019

Contents:

1	pytest-slack	1
1.1	Requirements	1
1.2	Installation	1
1.3	Usage	1
1.4	Example	2
1.5	Issues	2
2	Installation	3
2.1	Stable release	3
2.2	From sources	3
3	Usage	5
4	Contributing	7
4.1	Types of Contributions	7
4.2	Get Started!	8
4.3	Pull Request Guidelines	9
4.4	Tips	9
4.5	Deploying	9
5	Credits	11
5.1	Development Lead	11
5.2	Contributors	11
6	History	13
6.1	1.0.1 (2019-04-18)	13
7	Indices and tables	15

Pytest to Slack reporting plugin

- Free software: MIT license
- Documentation: <https://pytest-slack.readthedocs.io>.

1.1 Requirements

- Python3 version [3.5+]
- Requests
- Make sure you have the latest version of [pytest](#) installed for your environment

1.2 Installation

You can install “pytest-slack” via [pip](#):

```
$ pip install pytest-slack
```

1.3 Usage


- Setup [slack hook](#)
- Use this plugin by running pytest normally and use the following options to customize report:

```
>>> slack:
--slack_channel=SLACK_CHANNEL
    Set the channel name to report
--slack_hook=SLACK_HOOK
    Used for reporting to slack
--slack_report_link=SLACK_REPORT_LINK
    Set the report link
--slack_username=SLACK_USERNAME
    Set the reporter name
--slack_timeout=SLACK_TIMEOUT [DEFAULT = 10s ]
    Set the timeout for sending results in seconds
```


1.4 Example

```
$ pytest tests --slack_hook=https://hooks.slack.com/services/... --slack_channel=test_report_channel
--slack_username="Regression testing results"
```

All kind of problems:


 **Regression testing results** APP 5:31 PM
Passed=100 Failed=1 Skipped=1 Error=1

Passed test:

 **Regression testing results** APP 5:32 PM
Passed=131 Failed=0 Skipped=0 Error=0

```
$ pytest tests --slack_hook=https://hooks.slack.com/services/... --slack_channel=test_report_channel
--slack_username="Regression testing results" --slack_report_link=http://any_address
```

Passed test with link:

 **Regression testing results** APP 5:32 PM
Passed=131 Failed=0 Skipped=0 Error=0

1.5 Issues

If you encounter any problems, please [file an issue](#) along with a detailed description.

2.1 Stable release

To install Pytest Slack, run this command in your terminal:

```
$ pip install pytest-slack
```

This is the preferred method to install Pytest Slack, as it will always install the most recent stable release.

If you don't have [pip](#) installed, this [Python installation guide](#) can guide you through the process.

2.2 From sources

The sources for Pytest Slack can be downloaded from the [Github repo](#).

You can either clone the public repository:

```
$ git clone git://github.com/ArseniyAntonov/pytest-slack
```

Or download the [tarball](#):

```
$ curl -OL https://github.com/ArseniyAntonov/pytest-slack/tarball/master
```

Once you have a copy of the source, you can install it with:

```
$ python setup.py install
```


CHAPTER 3

Usage

To use Pytest Slack in a project:

```
import pytest_slack
```


Contributions are welcome, and they are greatly appreciated! Every little bit helps, and credit will always be given. You can contribute in many ways:

4.1 Types of Contributions

4.1.1 Report Bugs

Report bugs at <https://github.com/ArseniyAntonov/pytest-slack/issues>.

If you are reporting a bug, please include:

- Your operating system name and version.
- Any details about your local setup that might be helpful in troubleshooting.
- Detailed steps to reproduce the bug.

4.1.2 Fix Bugs

Look through the GitHub issues for bugs. Anything tagged with “bug” and “help wanted” is open to whoever wants to implement it.

4.1.3 Implement Features

Look through the GitHub issues for features. Anything tagged with “enhancement” and “help wanted” is open to whoever wants to implement it.

4.1.4 Write Documentation

Pytest Slack could always use more documentation, whether as part of the official Pytest Slack docs, in docstrings, or even on the web in blog posts, articles, and such.

4.1.5 Submit Feedback

The best way to send feedback is to file an issue at <https://github.com/ArseniyAntonov/pytest-slack/issues>.

If you are proposing a feature:

- Explain in detail how it would work.
- Keep the scope as narrow as possible, to make it easier to implement.
- Remember that this is a volunteer-driven project, and that contributions are welcome :)

4.2 Get Started!

Ready to contribute? Here's how to set up *pytest-slack* for local development.

1. Fork the *pytest-slack* repo on GitHub.
2. Clone your fork locally:

```
$ git clone git@github.com:your_name_here/pytest-slack.git
```

3. Install your local copy into a virtualenv. Assuming you have virtualenvwrapper installed, this is how you set up your fork for local development:

```
$ mkvirtualenv pytest-slack
$ cd pytest-slack/
$ python setup.py develop
```

4. Create a branch for local development:

```
$ git checkout -b name-of-your-bugfix-or-feature
```

Now you can make your changes locally.

5. When you're done making changes, check that your changes pass flake8 and the tests, including testing other Python versions with tox:

```
$ flake8 pytest-slack tests
$ python setup.py test or py.test
$ tox
```

To get flake8 and tox, just pip install them into your virtualenv.

6. Commit your changes and push your branch to GitHub:

```
$ git add .
$ git commit -m "Your detailed description of your changes."
$ git push origin name-of-your-bugfix-or-feature
```

7. Submit a pull request through the GitHub website.

4.3 Pull Request Guidelines

Before you submit a pull request, check that it meets these guidelines:

1. The pull request should include tests.
2. If the pull request adds functionality, the docs should be updated. Put your new functionality into a function with a docstring, and add the feature to the list in README.rst.
3. The pull request should work for Python 2.7, 3.4, 3.5 and 3.6, and for PyPy. Check https://travis-ci.org/ArseniyAntonov/pytest-slack/pull_requests and make sure that the tests pass for all supported Python versions.

4.4 Tips

To run a subset of tests:

```
$ py.test tests
```

4.5 Deploying

A reminder for the maintainers on how to deploy. Make sure all your changes are committed (including an entry in HISTORY.rst). Then run:

```
$ bumpversion patch # possible: major / minor / patch
$ git push
$ git push --tags
```

Travis will then deploy to PyPI if tests pass.

5.1 Development Lead

- Arseniy Antonov <arseny.antonov@gmail.com>

5.2 Contributors

None yet. Why not be the first?

6.1 1.0.1 (2019-04-18)

- First release on PyPI.

CHAPTER 7

Indices and tables

- `genindex`
- `modindex`
- `search`